



SPARES	MILL	GRIND	WIRE	EDM	F/GRIND	OTHER	REV	DATE	BY	DESCRIPTION
							A	XX-XX-XX		RELEASED FOR FULL PRODUCTION

**NOTES:**  
 1.) RADIUS RUN OUT PERMISSIBLE AT VENT/DUMP VENT INTERSECTION.  
 2.) ALL INTERNAL CORNERS R.0060" MAX UNLESS OTHERWISE NOTED.

TOLERANCES (UNLESS OTHERWISE NOTED)		MATERIAL / HARDNESS	DEALER
INCHES	MILLIMETERS	QUANTITY	MOLD DESIGNER
.XX ± .01	.X ± 0.2 MM	MOLDING SURFACE FINISH	CHECKED BY
.XXX ± .004	.XX ± .10 MM	THIS DRAWING WAS PRODUCED USING Solid Works	TOOLING MGR
.XXXX ± .0004	.XXX ± .010 MM	THIRD ANGLE PROJECTION	ENGINEERING MGR
.XXXXX ± .0002	.XXXX ± .005 MM	DO NOT SCALE	
.XX° ± .50°	.XX° ± .50°		

▶▶▶ TO EXPEDITE ASSEMBLY PROCESS ◀◀◀  
 TARGET THE MIDPOINT OF ALL BIAS TOLERANCES

SHRINK	SHEET NUMBER	1 of 1
SCALE 2:1	UNITS INCHES[mm]	
DRAWING NUMBER EC NANO 125 ASSEMBLY		